

FRONT END LOAD CONTAINERS



WASTEQUIP
Toter[®]



TOTER TOUGH

Plastic Front End Load (FEL) Containers

Lightweight and durable plastic FELs offer an alternative to traditional steel FELs. Toter plastic FELs are well suited for handling aggressive organic waste generated by restaurants, grocery stores and more. Plastic FELs are also ideal for any area where corrosion is a concern, lasting up to 3 times longer than steel containers. Their rotomolded body provides greater impact resistance than injection molded FELs and their Rugged Rim® design with steel rod reinforcement prevents bowing.

FELs are nestable when unassembled or fully assembled, making shipping and storage easier and less expensive. Available in 2, 3 and 4 cubic yard sizes.

DURABLE

- 100% plastic rotationally molded body provides maximum impact resistance
- Steel rod reinforced Rugged Rim® prevents bowing while maintaining the integrity of the container
- Lift pockets feature an integrated design to distribute weight across the entire face, providing greater pocket strength
- Container lid has 270 degree opening and a 5/8" solid hinge rod
- Engineered structural bottom wear chimes ribbed for added durability when used without casters



Lightweight and durable plastic FELs offer an alternative to traditional steel FELs.

LOW MAINTENANCE

- Plastic is easy to clean and requires no painting
- Lasts up to 3 times as long as steel containers because they withstand exposure to waste and weather without rusting or corroding
- Quick change caster brackets

LEAK-PROOF DESIGN

- Containers are leak-proof because bolt-on items do not penetrate the interior of the container

LIGHTWEIGHT / EASY TO MANEUVER

- All plastic body, lid and lift pockets make plastic FELs lighter weight and easier to maneuver than conventional steel containers

OPTIONS

- Steel lift pockets
- Steel runners and casters



NESTABLE

- Nestable when fully assembled or unassembled for easy transporting and storage
- Shipping unassembled allows for maximum truckload quantities

FEATURES

- 1) Caster Brackets** – Quick change caster bracket with oversized mounting plate for easy maintenance and repair. Casters standard on 2 and 3 cu. yd. containers and optional on the 4 cu. yd. container.
- 2) Rugged Rim®** – Patented Rugged Rim on the body adds extra rigidity in critical wear areas for extended container life.
- 3) Lift Pockets** – Advanced Rotational Molded, field replaceable, double wall engineered lift pockets. Molded flange on pocket locks securely into slot molded in the container's side wall to spread the lifting load across the entire side of the container.
- 4) Graphics** – Designated area for optional mold-in color graphic or sticker (as shown) for customizing the container.
- 5) Drain Plug** – Drain hole allows for easy cleaning and draining of container.
- 6) Lock** – Automatic lock eliminates driver/truck downtime associated with unlocking the container – driver never leaves the truck.



PLASTIC FEL CONTAINER SPECIFICATIONS

STANDARD COLORS



NOTE: Colors shown may vary due to limitations of monitors and printers. They are not intended to be exact reproductions of actual colors. Color chips are available upon request.



FLO20



FLO30



FLO40

PRODUCT SPECIFICATIONS

MODEL	DESCRIPTION	WIDTH	DEPTH	FREIGHT HEIGHT	OVERALL HEIGHT	LOAD RATING
FLO20	2 cu. yd.	82 1/4"	43 1/2"	48"	52 1/4"	1,000 lbs.
FLO30	3 cu. yd.	82 1/4"	50 5/8"	54"	65 1/8"	1,500 lbs.
FLO40	4 cu. yd.	82 1/4"	60"	47 1/2"	63 1/8"*	2,000 lbs.

*Height without casters.

SHIPPING INFORMATION

MODEL	ASSEMBLED WEIGHT	UNASSEMBLED		ASSEMBLED RATING	
		CONTAINERS PER STACK	53' T/L QUANTITY	CONTAINERS PER STACK	53' T/L QUANTITY
FLO20	236 lbs.	5	80	3	45
FLO30	286 lbs.	4	64	2	24
FLO40	320 lbs.	3	30	2	20



1-800-424-0422 | www.toter.com

TOT007-022011



877-468-9278 | wastequip.com