

Ameri-Kan's Family of *Slant* Top Containers.



We build the best containers for one fundamental reason—your needs! We listen to your problems and suggestions and incorporate them into our existing and on-going product design. Take a look at some of the features we've put in our "family" of slant top front load containers . . .

- **UNIQUE WATER RUN-OFF SYSTEM**—water drops to the ground, not in the container. Keeps dumping fees to a minimum.
- **LID STOP**—permits lids to remain open when required. Lids close automatically when container is emptied.
- **REINFORCED POCKET GUIDES**—faster fork entry and rugged long lasting durability.

- **LIGHTWEIGHT PLASTIC LIDS**—durable to survive extreme weather conditions, abuse, and lightweight for customer loading.
- **LOW CONTAINER LOADING HEIGHT**—48" MINIMUM TO 53" MAXIMUM.
- **FULL WIDTH FLOOR SUPPORT CHANNELS**—maintain bottom integrity, reduces rust, and keeps dirt off truck when dumping.
- **CALCULATED TOP SLANT**—the designed angle permits water drainage and eliminates premature refuse spillage on the truck cab.

At Your Service . . .

For fast, dependable service, Ameri-Kan containers are sold through a nationwide network of stocking distributors. Your area distributor can help you make the best container/equipment match. He can supply you with containers from his stock or arrange for on-site deliveries from our manufacturing locations, with our crane-equipped delivery fleet.

So whether you need a single part or hundreds of containers, a call to your Ameri-Kan distributor will take care of all your needs.



Warsaw, IN



Crane Equipped Delivery Fleet



Independence, KS



Bristol, IN

Our Commitment . . .

Ameri-Kan is committed to building the containers America is asking for. Ameri-Kan couples the finest materials and processes with sound engineering and management to efficiently deliver your container requirements. Whether it's for standard rear loading, front loading or side loading containers, we are here to help develop and produce your needs.

As active members of WEMI and NSWMA, we work together with other organizations such as ANSI and CPSC to assure you container safety, dependability, and compatibility. We are committed to your needs and are always interested in hearing your suggestions.

REPRESENTED BY

The company reserves the right under a policy of product improvement to change construction and design details and furnish equipment when so altered without reference to illustrations or specifications used herein. **!CAUTION!** This equipment should be operated by properly trained personnel. Improper use, misuse or lack of maintenance could cause injury to people and/or property.

AMERI-KAN

- 515 Road 200 North, Warsaw, Indiana 46580 (219) 269-3035 Fax (219) 533-7032
- P.O. Box 844, Independence, Kansas 67301 (316) 331-3910 Fax (316) 331-3911
- One Stoutco Drive, Bristol, Indiana 46507 (219) 848-4411 Fax (219) 848-4414

DIVISION OF STOUTCO, INC.





The name that stands for
Quality, Outstanding Design,
Durability, and Value!

Slant & Flat Top Front Load Containers



***A solid investment for
your equipment dollar!***


Solid in Design and Solid in Construction.



**Solid Designs for any
Front Load Applications.**

**WE'RE BUILDING THE
CONTAINERS AMERICA
IS ASKING FOR**

F-200
2 Cu. Yd. Cap Flat Top




FST-300
3 Cu. Yd. Cap Slant Top




FST-400
4 Cu. Yd. Cap Slant Top



FST-600
6 Cu. Yd. Cap Slant Top




FS-602
6 Cu. Yd. Cap Flat Top
with Sliding Slide Doors




FST-800
8 Cu. Yd. Cap Slant Top



FS-802
8 Cu. Yd. Cap Flat Top
with Sliding Side Door



Features & Options



A drain hole with non-corrosive plug is provided for removal of excess fluids.




Double gusset design at front and rear of pocket adds strength to major stress areas. Pocket guides provide fast and easy fork entry.



Solid single piece rear lid panel with center crown allows water to run off the sides. Heavy duty hinges maintain the structural integrity of the lid rod. Lid stop prevents lid "hang-up" on truck hopper cover.



Optional 29" x 32" rear sliding door on model FST-800 permits easy loading from the rear.



Wrapped overlapping corners including the floor with solid seam welding eliminates split corners and provides double wall strength in corrosion prone areas.



Optional A-frame pick-up with rugged, heavily welded construction insures dependability.

Lids for All Applications . . .

Ameri-Kan single wall plastic lids with large front molded-in handles are lightweight and flexible.

Lid flexibility combines with multiple hinge points to eliminate failure at the critical hinge area, and prevents plastic fatigue should the lids strike an obstruction during the dump cycle. The multiple rib crowned design creates a safe load bearing surface and enhances water run-off. Ameri-Kan lids contain a premium quality ultraviolet stabilizer to maximize the life of the plastic. These versatile and affordable covers are used to retrofit many models of containers.



The standard lightweight, low maintenance, 2 lid design with lid stop permits lids to remain open when required. Lids close automatically when container is emptied.



Optional 4 lightweight lids are interchangeable and are unitized in a sub frame that swings open during dumping to insure clean dumping.



The high loop spring on the steel spill lid is safely recessed into the heavy front channel for sure closure. Eight (8) 1/4" strap hinges coupled with a full hinge pipe means dependable service.

Specifications

Paint finish: Ameri-Kan containers are finished-ground, cleaned and metal prepped; prior to applying a corrosion resistant base coat primer on all surfaces. All exterior surfaces, including the bottom, are finish coated with industrial quality enamel in your choice of Green, Brown or other Custom Colors.

MODEL	F-200	FST-300	FST-400	FST-600	FS-602	FST-800	FS-802
CAPACITY	2 Cu. Yd.	3 Cu. Yd.	4 Cu. Yd.	6 Cu. Yd.	6 Cu. Yd.	8 Cu. Yd.	8 Cu. Yd.
SHIP WT.	390 lbs.	606 lbs.	693 lbs.	936 lbs.	960 lbs.	1097 lbs.	1115 lbs.
MATERIAL	14 Ga.	13 Ga.	12 Ga.				
LID / SIZE	(2) 36" x 37"	(2) 36" x 37"	(2) 48" x 37"	(2) 58" x 37"			